FIELDMASTER

PREMIUM EQUIPMENT



CATALOGUE 2017



ANY JOB...ANY CONDITIONS





WE TAKE PRIDE IN EVERY MACHI





A well-equipped factory to handle all sizes of machinery, with care.

We carry a vast range of - a part can be with you on




Friendly, helpful customer service.



On-site sand blasting a guarantees a pre-

NE THAT LEAVES THE FACTORY



parts & accessories the next day's courier!

Qualified engineers, on-site, oversee the development and assembly of all machinery.



and powder coating emium finish.



General Manager Lance Turnbull inspects all equipment before it leaves the factory.

MOWERS

Rotary Slashers/Brush Cutters:

-	
Sabre (18-40hp)	01
M-Series (35-80hp)	01
HD Series (60 - 100hp)	02
Jumbo (80 - 250hp)	02

Mulchers / Mowers:

03
05
06
06
07
08
08
09
10
11

Vineyard & Orchard Mowers:

-	
GMR Series - Rear Discharge	13
GML Series - 2-in-1 Mulcher/Mower	13
GMS Series - Side Discharge	13
XHD Extreme HD Mower	14
MX Single Rotor Vineyard Mower	15
ATV Pasture Topper	15
ATV Tow Flail Drum-Mulcher	15
ATV Vineyard ATV Mower	16

















POST DRIVERS

Fencer	23
Fencer Combo with Hydraulic Sideshift	23
Farmer	24
Forté	25
Forté Combo	25
Hydraulic Rockspike Extractor & Pilot Auger Kit	26
Hydrasideshift Bases	27
Static Side Mount Frame	27








ATTACHMENTS

















Cultivation:

Cultivation:		
MF Disc Ploughs	28	
Springtine Cultivator	28	
Rotary Tiller / Rotary Hoe	29	
Cambridge Rollers	29	
3pt Linkage Compact Discs	29	
Jumbo Buster Rippers	30	
Ploughs for Small Tractors	30	
HD '2 Mode' Drag Harrow	31	
Earthworks:		
Rear Carry-all Trip Scoop Bucket	31	
Mini Reversible Dirt Scoop	31	
Vortex Drain Digger/Cleaner	32	
SBX Box Scrapers / Blade	32	
Landscape Finger Rakes	33	
Grader Blade	33	
ATV Towed Blade	33	
Ezy-Bore 40 Post Hole Borer - Cat. I	34	
Ezy-Bore 80 HD Post Hole Borer - Cat. I & II	34	
Hydra-Borer	34	
Swivel Tach	35	
Valumix PTO Mixer	36	
Tractor Mounted Fertiliser Spreader	36	
Woodchippers / Shredders:		
VC-40 PTO Driven Woodchipper	37	
VC-60R PTO Driven Woodchipper	37	
Tractor-Mounted Stump Chippers	38	

SMALL BLOCK









Rotary Slashers/ Brushcutters MOWERS





M-Series (35-80hp)

Sabre (18-40hp)



- 18-40 hp compact tractors; Cat I Floating top link Tough 5mm deck
 - Adjustable skids
- Offsettable linkage
- Fitted with stepped slasher flail
- Folded steel plate decks with integral double panels in stress zones - for a rigid chassis that takes the knocks

PTO driveshaft

Clean, obstruction-free body lines for minimal grass build-up

SABRE 1200	1.2m (47") wide, 2 flails	\$2,290
SABRE 1500	1.5m (60") wide, 2 flails	\$2,590
	4 flail upgrade add	\$445
	Full width Rear Roller fitted	\$830
	"Hot Skids" heat treated skid wear plates (pair)	\$250
	Friction clutch	\$425
	Ratchet clutch PTO	\$595
	Grass flow/spreader vane fitted	\$120
	Gold Tips fitted (2 or 4 blade)	\$165
	Front or rear rubber safety skirt	\$490

- Medium weight, 35-80hp tractors, Cat I & II
- Slasher/topper/mower
- Fitted with stepped slasher flail
- Adjustable skids
- Offsettable linkage ٠
- Folded steel plate decks with integral double panels in stress zones - for a rigid chassis that takes the knocks
- Clean, obstruction-free body linesfor minimal grass build-up

M-SIXTY	1.5m (60") wide, 2 flails	\$4,590
	4 flail upgrade (M60)	\$495
M-SEVENTY	1.8m (70") wide, 2 flails	\$5,390
	4 flail upgrade (M70)	\$595
	Full width Rear Roller kit fitted	\$1,070
	Friction clutch	\$495
	Over run clutch	\$995
	Grass flow spreader vane fitted	\$195
	Gold Tip flails fitted (2 or 4 blade)	\$250
	Front or Rear Rubber Safety Skirt	\$490

all prices exclude GST

Floating top link

Tough 6mm deck

PTO driveshaft

•

HD Series (60 - 100hp)

FEATURES:

- 60-100hp tractors; Cat II
- Adjustable skids
- Floating top link
- Stepped axe flail
- Heavy duty laminated twin 6mm deck
- PTO driveshaft
- Front chain guards
- Monocoque chassis construction
- For cutting up to 50mm (2") scrub

H.D. SIXTY	1.5m (60") Slasher, 2 axe flails	\$7,400
	4 flail & Multicut mulching system upgrade add	\$990
	H.D.Rear safety chain skirt	\$980
H.D. SEVENTY	1.8m (70") Slasher, 2 axe flails	\$8,200
	4 flail & Multicut mulching system upgrade	\$990
	Full width Rear Roller kit	\$1,040
	Cam clutch integrated PTO (1300Nm)	\$1,895
	Over run clutch	\$995
	H.D.Rear safety chain skirt	\$980





EXTRA FOR HD SERIES: 4 Blade Mulch Upgrade (with chain chokes)

Jumbo (80 - 250hp)

FEATURES:

- 80-250hp tractors; Cat II
- Slasher/brush cutter
- Stepped axe flail
- HD circular 16mm flail plate
- 4 x 16mm HD axe flails
- HD PTO driveshaft
- 10mm plate deck
- 100rpm gearbox
- Heavy guage linkage and deck fabrications with integral bracing and double panels provide a rugged and robust platform for scrub slashing
- Extra high skids and extended length gearbox provides 'throat clearance' for large diameter mulching
- Super Ag Series gearboxes with upsized (1-3/4") 20 spline input shafts are driven through 8 series
- PTO drivelines to handle power demands of large tractors.
- Jumbo blades are flame-cut and precision-milled from Bisalloy 400 High Strength plate for long lifespan in continuously heavy conditions

JUMBO	1.8m (72") Slasher/Brushcutter	\$13 700
	Mulching kit fitted with chain chokes	\$1950
	Cam clutch integrated PTO (2000Nm)	\$1995
	Over run clutch	\$1195
	H.D.Front safety chain skirt	\$930
	H.D.Rear safety chain skirt	\$980

GMM Gearmower 3n1 Multicut Mulcher/Topper/Slasher



The GMM Gearmower - the preferred choice for mulching work:

FEATURES:

- Lower power requirement means less diesel consumption
- Simple transmission system with lower cost parts means reduced maintenance costs
- The transmission system delivers full PTO power to the blades which means less slippage
- Fitted standard with triple stack mulching blades and front safety chains
- Removable rear mulch retaining panels
- Easily changed over to be used as a H.D. pasture topper or slasher by changing the blades
- European gearboxes, driveline and cam clutch integrated PTO (1300Nm)



MAIZE STUBBLE



MULCHING RUSHES



MULCHING RATSTAIL




MULCHING KIKUYU

EURO GMM 180 'MULTI-CUT'	1.8m wide, 2 rotor suits 30-80hp Tractor	\$12,500
EURO GMM 200 'MULTI-CUT'	2.0m wide, 2 rotor suits 30-80hp Tractor	\$13,500
EURO GMM 230 'MULTI-CUT'	2.3m wide, 2 rotor suits 40-80hp Tractor	\$14,300
EURO GMM 270 'MULTI-CUT'	2.7m wide, 2 rotor suits 50-90hp Tractor	\$14,700
EURO GMM 300 'MULTI-CUT'	3.0m wide, 3 rotor 70-130hp Tractor (1000RPM)	\$16,500

COMPLETE MACHINE BLADE SETS:

GTK	Spare Pasture topper flail set c/w 'Gold Tips' (160-270)	\$290
GTK/300	Spare Pasture topper flail set c/w 'Gold Tips' (300)	\$440
ттмк	Spare Mulcher flail set c/w triple stack flails (160-270)	\$680
TTNK/300	Spare Mulcher flail set c/w triple stack flails (300)	\$940
AKF	Spare Axe type slasher flail set (160-270)	\$240
AKF/300	Spare Axe type slasher flail set (300)	\$360







I've been the proud owner of several Fieldmaster GMM series mowers for more than 8 years. We use these machines on a daily basis in our contracting business, and they are most definitely the cornerstone of our service provision.

Versatility is the key to our operation, and our GMM's enable us to use the same machine for tasks from heavy gorse mulching right down to golf course fairway mowing, (with appropriate blade selection).

If you want absolute proof with excellent videos of the gear in action, search YouTube for "BlockBustersCoNZ" and "Fieldmaster", or visit our website www.blockbusters.co.nz. I simply cannot overstate the support and reliability we have experienced with our Fieldmaster equipment - and they don't pay me to say that! Lance Pawley.

"

OPTIONS & EXTRAS



OPTIONAL ANTI-SCALP SAUCER

Bolt-on full-width Rear Roller kit (5" diameter)	\$1,220
H.D Rear tail swivel castor wheels kit (pair)	\$2,450
Hardfaced 'Tungsten' upgrade to mulch blades (per blade)	\$50
Front mount option	\$200
Over run clutch	\$1,150
Rear chain guard set	\$780
Dual hitch offset/center A Frame (offsets by 300mm)	\$1,290
H.D Anti-scalp saucer discs (per rotor)	\$390



HEAVY DUTY PUNCTURE PROOF URETHANE-FILLED CASTER WHEELS



OPTIONAL BOLT ON REAR ROLLER KIT

GMM HD Multi Cut (1000RPM)

		strength of an as seen on ou FEATURES: • For big tracto • Fitted with tri • Front safety of • Removable re • Easily change pasture topp (purchased s • Fitted with a • Twin 5mm lan underbody b strength whe • Centre gearb through Cent	ear mulch panels ed over to be used as an H.D er, or a slasher, by changing blades separately) cam clutch integrated PTO 2000Nm minated construction with full width racing and overdeck gussets - for ere it's needed ox rated to 250hp transfers power taflex industrial-drive couplings - a ance drivetrain to handle serious
GMMHD230 2.3	3m wide, 2 rotor suits 120-250hp Tractor (1000RPM)	PTO power le \$21,900	

GMM XHD Multi Cut (1000RPM)

GMMHD270



2.7m wide, 2 rotor suits 120-250hp Tractor (1000RPM)

The GMM XHD multi-purpose machine with the added strength of a super-strong XHD deck and combined with the extra heavyduty drive line - as seen on our Titan Brush Cutter!

The GMM HD Multipurpose machine is built

FEATURES:

- Fitted with triple stack mulching blades
- Front safety chain

\$22,500

- Removable rear mulch panels
- Easily changed over to be used as an H.D pasture topper, or a Slasher, by changing blades (purchased separately)
- Fitted with a cam clutch integrated PTO 2000Nm
- 8mm double skin laminated deck
- Centre gearbox rated to 250hp transfers power through Centaflex industrial-drive couplings - a low maintenance drive train to handle serious PTO power levels

GMMXHD230	2.3m wide, 2 rotor suits 120-250hp Tractor (1000RPM)	\$24,900
GMMXHD270	2.7m wide, 2 rotor suits 120-250hp Tractor (1000RPM)	\$25,500

OPTIONS & EXTRAS

Bolt-on Full width Rear Roller kit (5" diameter)	\$1,220
Hardfaced 'Tungsten' upgrade to mulch blades (per blade)	\$50
Over run clutch	\$1,195
Rear chain guard set	\$780
H.D Anti-scalp saucer discs (per rotor)	\$390

GMT Gear Drive Pasture Topper

A rugged All Gear Drive pasture topper.

FEATURES:

- Fitted with "Gold-Tip" Blades
- A front PVC safety skirt
- High-clearance adjustable topping skids
- Floating top link
- Cat II linkage



GMT 200	'Pasture Topper' 2.0m 2 rotor (30-80hp)	\$11,500
GMT 230	'Pasture Topper' 2.3m 2 rotor (40-80hp)	\$12,300
GMT 270	'Pasture Topper' 2.7m 2 rotor (50-80hp)	\$12,700
GMT 300	'Pasture Topper' 3.0m 3 rotor (70-130hp)	\$14,500
	Full width Rear Roller kit (5" / 125mm diameter)	\$1,220
	HD Antiscalp saucers fitted (per rotor) each	\$390
	Front chain curtain in lieu of PVC rubber guard	\$520
	Cam clutch integrated PTO	\$1,895
	Over run clutch	\$995
	Friction clutch	\$695

A high-clearance, hi-speed, twin-belt driven pasture topper.

FEATURES:

- Fitted with Gold-Tip Blades
- High-clearance skids
- Open/wide grass flow vanes for lush pasture
- Front rubber safety skirt
- Floating top link
- PTO driveshaft
- Suits tractors 40-120hp
- Cat. II linkage



TM Twin Belt Drive Pasture Toppers

TM 240 (8') 3 spindle Pasture Topper		\$11,900
TM 270 (9')	4 spindle Pasture Topper	\$12,600
TM 300 (10')	4 spindle Pasture Topper	\$13,700
	"Hot Skids" heat treated skid wear plates (pair)	\$820
	Full width Rear Roller kit (125mm diameter)	\$1,220
	Front Anti-scalp skids or Anti-scalp saucers (each)	\$350
	Rear rubber safety skirt fitted (each)	\$530
	Friction clutch	\$695



MOWERS • Park & Sportsfield Mowers



Vector Hydraulic Wing Fold Roller Mower (3.4m)



A heavy-duty, 5 spindle, hydraulic wing-fold Parks Roller Mower:

FEATURES:

- Suits tractors 70hp+
- Twin belt drive and wing float
- Fitted with "Gold Tip" Blades
- Full-width rear rollers
- Center front roller
- Small anti-scalp front wing rollers and acme screw cutting height adjustment
- Fitted with PVC safety skirts for safe discharge of grass clippings

VECTOR

Rear mount c/w full width rear rollers & center front roller, hydraulic wing, fold 3400mm wide. (Made to order) \$26,900

PM Parks & Sportsfield Roller Mower

A Heavy Duty Twin-Belt Drive 5000 Series Rotary Mower:

FEATURES:

- Rear roller or optional twin rollers
- Twin-belt drive ensures maximum power
- Fitted with "Gold Tip" Blades
- Rear rubber safety skirt
- Suits tractors from 45-100hp
- Twin-belt drive to all spindles
- 67% speed-increaser pulley ratio
- Deep groove section belts to ensure maximum power delivery to blades in all conditions, plus extended belt life
- A triangulated 5mm deck for strength where needed, without adding weight



		Single Roller	Twin Roller
PM 210	(7') 2.1m Parks Roller Mower	\$12,200	\$12,700
PM 240	(8') 2.4m Parks Roller Mower	\$13,100	\$13,700
PM 270	(9') 2.7m Parks Roller Mower	\$14,100	\$14,700
PM 300	(10') 3.0m Parks Roller Mower (4 spindles)	\$14,900	\$15,700
	Friction clutch	\$695	

PMM Minipark Roller Mower

A low-profile, commercial-grade, precision-cutting, single-belt-drive Roller Mower:

FEATURES:

- Rear and/or front roller
- Fitted with "Gold Tip" Blades
- 3 HD spindles
- Infinite screw adjustable cut-height settings
- Full under body grass flow vanes for even grass discharge
- Floating top link and PTO driveshaft
- Weight matched for smaller horsepower, compact tractors
- Suits compact tractors 30-50hp
- Low profile with single or twin roller options
- Maintain a beautiful rolled lawn finish full width rollers will 'stripe finish' lawns



PM 150MS	(5') 1.5m c/w Rear Roller	\$8,200
PM 150MT	(5') 1.5m c/w Twin Rollers	\$8,700
PM 180MS	(6') 1.8m c/w Rear Roller	\$8,800
PM 180MT	(6') 1.8m c/w Twin Rollers	\$9,400
	Cutter bar option	\$250

MOWERS • Roadside Mower



Euro GMX 200 Roadside Mower

- the custom-c

A rotary revolution in roadside vegetation management - the custom-designed verge mower:

FEATURES:

- Comprehensive testing by road safety authorities
- Front-mount options available
- 2-rotor mower
- Fitted with triple stack mulching blades
- Double row chain and PVC guarding for roadside safety
- Full-width rear Mega-roller
- LHS offsettable Cat II linkage suits tractors 40-100hp
- Fitted with European gearbox, driveline and clutch
- Overlapping twin rotor cutting system with bi-level spring steel blades for consistent mowing at high speed PLUS the ability to handle roadside obstacles
- Discharge of all mowing material is contained within the mower body footprint
- Rotary blade configuration plus direct power transmition means reduced mowing time, lower maintenance costs, and lower fuel costs
- Outperforms flail mowers on safety, speed, and efficiency

EURO GMX 200	2.0m Roadside Mower	\$17,900
	8 Hardfaced 'tungsten' mulch blades fitted	\$400
	H.D. Anti-scalping saucers fitted (2 rotors)	\$780
	High density vegetation mulching carrier upgrade	\$1,895 pair



The Extra Heavy Duty 2.3m wide (2 rotor) Brush Cutter/Rotary Slasher:

FEATURES:

- Suits tractors up to 250hp
- 50mm & 25mm thick circular flail plates
- Fitted with triple stack mulching blades
- 6 x 16mm (5/8") flails
- Hydraulic-operated opening tailgate.
- Cat II and III linkage
- Front and rear debris chain-curtain fitted
- Rear safety scrub/forestry crusher frame and mulch rake to push over and guide in foliage

Titan (120-250hp)



- Twin opposing rotor, 25mm double clevis blade carriers equipped with 6x16mm axe flails provide ultimate mulching at fast ground speed
- Hydraulic remote control rear tailgate operation maximises effectiveness on reversing manoeuvres - allowing you to feed in and 'swallow' taller foliage
- Centre gearbox rated to 250hp transfers power through Centaflex industrial-drive couplings a low maintenance drivetrain to handle serious PTO power levels

TITAN	(2.3m) Slasher/Brushcutter c/w hydraulic opening/operated tailgate and twin 25mm dual clevis flail plates.	\$28,900
TITAN MULCHER	As above + fitted with 12 mulching flails, chain chokes and mulch vane	\$33,900
	Over run clutch	\$1,195
	Cam clutch integrated PTO	\$1,995



The Dominator GMF360-R is just one of many set-up configurations available and is designed in a modular style CAD system in order to be able offer a huge range of set-up options.

FEATURES:

- Roller kits on all mowing decks
- Trailing swivel front or rear wheels
- 3-point linkage mounted or trailed version
- Wheels & anti-scalping skids combination
- Slasher blades for general purpose
- Fitted with 'Gold-Tip' Blade
- Mulching blades for heavy mowing, mulching etc
- Fitted with European gearbox, driveline and cam clutch



GMF 600-T Trailed VERSION

The Dominator W.A.M wing-hinge system allows unparalleled ground contour following without scalping - as well as the ability to mow in soft, unstable and wet conditions.

FEATURES:

- Fieldmaster's tested and reliable gear-drive transmission system is designed to withstand shock loadings with incorporated anti-shock flex couplings and clutches
- Fitted with 'Gold Tip' Blades
- Options are avaiable for wheel and roller configurations, front and rear mounting





EURO GMF 360-R	(3.5m) 3pt linkage. Fitted with Front and Rear Rollers	\$34,000
EURO GMF 500-R	(5.0m) 3 pt linkage. Fitted with Front and Rear Rollers	\$42,000
EURO GMF 420-T	(4.2m) Trailed. c/w 4 Rear Wheels	\$39,500
EURO GMF 500-T	(5.0m) Trailed. c/w 6 Rear Wheels	\$44,000
EURO GMF 600-T	(6.0m) Trailed c/w 6 Rear Wheels	\$49,500



"We were required to update our machine that mows the Masterton Airport and after doing lots of research we found the Fieldmaster Dominator Wide Area Mower/Mulcher. The team at Fieldamster were great to work with and even travelled from Pukekohe to set the machine up for us. They also designed special parts we needed to complete the technical aspects of the Airport contract. This mower will also be used on roadside and large format areas that our business is required to cover. What's best about this machine is "it's simple to use" and any one of my staff can operate it with ease. What this means is that I'm confident to send any one of our staff to operate the Fieldmaster Wide Area Mower, without worrying about any issues.

Overall it's a great machine for our business. Fieldmaster and our local dealer have made sure we got what we needed - happy customer!" Dave , Wairarapa Shelter Trimming

The Dominator Compact series of wide-area, hydraulic folding, all gear drive mowers are a new generation of mowers, with specially 'timed' blade rotors to enable a compact mow from front to back - but not compromising on the width of cut!

FEATURES:

- Unparalleled hydraulic wing float whilst still retaining 100% drive
- Well over 15-20 degree wing float during operation
- A compact transport width (of under 2.2m on a GMF360)
- A unique modular build system that allows for a combination of different components to suit a wide range of mowing applications such as: Sports fields and stadiums, crop stubble mulching, pasture and paddock topping, airports, airfields and runways, parkland areas and set-aside reserves, rough and heavy mowing set aside areas, topping pastures in large farms and stations, fine cutting mowing on large rolling or undulating turf and turf farms

GMR Series - Rear Discharge



GML Series 2-in-1 Mulcher/Mower

Multi-purpose Mulcher/Mower:

- Rear mega-roller
- Twin front stubbie rollers
- Triple-stack mulching blades
- Removable mulching vane
- Removable side plates for side or rear-discharge mowing options
- Fitted with European gearbox, driveline and cam clutch



GMS	Series.	- Side	Discharge	

Orchard / Vineyard Mower:

- Rear mega roller
- Twin front stubbie rollers
- Stepped axe flails for side-discharge mowing
- European gearbox, driveline and cam clutch



Orchard/Vineyard Mower:

- Side skids
- Rear mega-roller
- Stepped axe flails for rear-discharge mowing
- European gearbox, driveline and cam clutch

	STANDARD	OPTION A: Fitted with Rear Wheels in lieu of Rear roller.	OPTION B: Gold tip flails in lieu of axe slasher blades
EURO GMR 140	\$13 700	\$14,600	\$150
EURO GMR 160	\$13 700	\$14,600	\$150
EURO GMR 180	\$13 800	\$14,700	\$150
EURO GMR 200	\$14 200	\$15,100	\$150
EURO GMR 230	\$14 500	\$15,400	\$150
EURO GMR 270	\$14 900	\$15,800	\$150
EURO GMR 300	\$17 100	\$18,000	\$225
EURO GMR 330	\$18 200	\$19,100	\$225

	STANDARD	OPTION A: Fitted with Front Wheels in lieu of twin front rollers	OPTION B: Fitted with 4 x wheels in lieu of all Rollers
EURO GML 140	N/A	\$16,300	\$16,700
EURO GML 160	\$15,400	\$16,300	\$17,200
EURO GML 180	\$15,700	\$16,600	\$17,500
EURO GML 200	\$16,100	\$16,800	\$17,900
EURO GML 230	\$16,400	\$17,300	\$18,200
EURO GML 270	\$16,800	\$17,700	\$18,600
EURO GML 300	\$19,000	\$19,900	\$20,800
EURO GML 330	\$20,100	\$21,000	\$21,900

	STANDARD	OPTION A: Fitted with Front Wheels in lieu of twin front rollers	OPTION B: Fitted with 4 x wheels in lieu of all rollers
EURO GMS 140	N/A	\$15,500	\$16,400
EURO GMS 160	\$14,600	\$15,500	\$16,400
EURO GMS 180	\$14,700	\$15,600	\$16,500
EURO GMS 200	\$15,100	\$16,000	\$16,900
EURO GMS 230	\$15,400	\$16,300	\$17,200
EURO GMS 270	\$15,800	\$16,700	\$17,600
EURO GMS 300	\$18,000	\$18,900	\$19,800
EURO GMS 330	\$19,100	\$19,000	\$20,900
ADD: Mulching kit- r (GMS 140 / 160 / 18		ades, bolts, sideplate / 270)	^{es,} \$1,750
ADD: Mulching kit- r (GMS 300/330)	nulch vane, bl	ades, bolts, sideplate	^{2S,} \$2,350

ADD: 1 x pair side blanking plates

\$390


GM SERIES VINEYARD MOWERS

- With an extensive model range in 7 widths, and side or rear discharge versions, the GM Series mowers meet most orchard/mowing requirements.
- A specially designed compact twin and 3-rotor format, with synchronised blade overlap allows for an excellent turning circle and maneuverability, plus improved contour following in restricted areas.
- 100 mm wide kinked axe flails provide substantial impact and cutting power to handle prunings, while still giving the grass a clean, even finish - throwing to the side or rear.
- 'Triple-stack' mulcher blades on the GML have a central 100 x 10 upper and lower knife tips to provide finely chopped mulch material in all orchard/vineyard row conditions. These blades are double-edged and can be rotated for even wear and economical cutting life.

OPTIONS & EXTRAS:


HD Antiscalp saucers full set fitted (per rotor)	\$390
HD Friction slip clutch on driveshaft	\$680
Spare pasture topper flail set c/w 'Gold Tips' (140-270)	\$330
Spare pasture topper flail set c/w 'Gold Tips' (300/330)	\$430
Hardfaced 'Tungsten' upgrade to mulch blades (per blade)	\$50
Front mount option	\$200
4-way gearbox (160-270)	\$1,295
Front rubber safety skirt	\$590

VINEYARD/ORCHARD MULCHING KIT:



Consists of triple tip mulch blades, mulching vane/guard and side plates - turns your mower into the ultimate high-speed rotary mulcher. See accessory kit pricing under each model.

XHD Extreme HD Mower



FEATURES:

- HD commercial grade deck
- Fitted with stepped axe flails
- XHD Gearbox and drive train
- Can be side or rear discharge if side panels are fitted
- Fitted with European gearboxes, driveline and cam clutch
- NEW comes standard with heavy-duty couplings (centaflex)

XHD 160	(1.6m) c/w Front and Rear rollers	\$19,400
XHD 180	(1.8m) c/w Front and Rear rollers	\$19,500
XHD 200	(2.0m) c/w Front and Rear rollers	\$19,900
XHD 230	(2.3m) c/w Front and Rear rollers	\$20,400
	Factory fitted "Gold Tip" flail tips in lieu of axe flails	\$150
	Mulch kit c/w vane & blades for XHD	\$1,900
	1 x pair of side blanking plates for XHD	\$390
	Factory fitted front wheels kit <i>in lieu</i> of roller	\$900
	Factory fitted rear wheels kit <i>in lieu</i> of roller	\$900



(WITH FRONT & REAR ROLLERS)



MX Single Rotor Vineyard Mower





This heavy duty specialised vineyard mower compliments the XHD series. MX Series vineyard mowers meet the market with a rugged, yet simple, 2-flail single-rotor machine for narrow rows - at a great value price

- Extra H.D commercial grade deck
- H.D headstock
- Adjustable skids with H.D wear shoes
- Fitted with stepped axe flails
- Rear discharge and floating top link

MX40	(3') Vineyard mower c/w skids	\$6,400
MX50	(4') Vineyard mower c/w skids	\$6,700
MX60	(5') Vineyard mower c/w skids	\$7,400
MX70	(6') Vineyard mower c/w skids	\$8,200
	Rear Mega Roller kit for MX	\$1,500
	1 pair HD castoring wheels kit (front or rear)	\$2,200
	Side panels in lieu of skids	N/C
	Side discharge skid (LH) in lieu of std skid	\$790
	Mulch kit fitted to MX models (incl blades)	\$1,150
	Friction clutch	\$695

ATV Pasture Topper



ATV Tow Flail Drum-Mulcher

Fieldmaster's towed Quadtopper pasture toppers are specially designed toppers for New Zealand's lush pasture - with razor-sharp cutting tips for a clean cut and extra-high tip speed.

It provides a great solution for topping work! A tough heavy-duty farmer's mower!

- Side panels are adjustable to set the cut height
- All engines are Briggs & Stratton heavy-duty, commercial grade, electric start engines
- Available in 1100mm and 1400mm widths

QUADTOPPER - L 1100mm wide cut ATV Topper						
QT-LE13HPE	c/w 13.5hp OHV (electric start) petrol engine	\$5,500				
	Sth. Is Freight S	urcharge \$220				

QUADTOPPER - XL 1400mm wide cut ATV Topper						
QTXL18HPE	c/w 17.5hp OHV electric start petrol engine	\$6,400				
	Sth. Is Freight	Surcharge \$220				

A handy 'all-rounder' to hitch to your ATV quad bike to tidy and mow rough areas, weeds, paddock mowing and driveways - and it can also mulch small prunings!


- This great little mulcher cuts 1.2mtrs wide
- A powerful 13hp pull-start engine
- Easily adjustable for cutting between 25-70mm high
- 24 mulching spring steel hammer flails

• ATV Flail mulcher (1.2m)

\$2,990

Sth. Is Freight Surcharge \$150

driver • This • A po • Eas • 24 po • Eas • 24 po • This • A po • Eas • 24 po • Eas



The ATV Vineyard Mower has been designed and built by the Fieldmaster team to handle common vineyard mid-row conditions.

οτν

It was developed in conjunction with a vineyard (Ara Wines) in the Waihopai Valley, Marlborough, with an especially challenging mowing environment of long narrow rows and a rough rock strewn soil. "Mowing there is as close as you could get to mowing on the moon"

ATV Vineyard Mower

FEATURES:

- 6mm deck
- 10mm side plates, adjustable to a set cut-height
- Front-wheel steer machine with urethane-filled puncture-proof wheels
- Front chain guard is standard with the machine
- 18hp Heavy Duty commercial grade, electric start engine
- Width of the machine at 1150mm allows it to fit between vine rows comfortably
- Suitable for 4-wheel drive ATVs with 400+cc



VINYARD MOWER - L 1100mm wide cut ATV Topper


c/w 18hp OHV electric start petrol engine

\$14,900

BUILT FOR <u>YOUR</u> CONDITIONS...B

Our equipment is modular and highly customisable:

Our New Zealand-built machinery is made from a modular design so that we have the flexibility to make a machine that will completely suit your requirements - rollers, wheels, front mount options, and more, can all be achieved off our main decks. If there's something in the catalogue that's not exactly how you want it, there's a 90% chance that we can make you something to suit. Talk to us about what you're wanting to achieve so we can give you a range of options that will suit your conditions.



All flails are made in New Zealand from manganese-tempered spring steel.

OPTIONS & EXTRAS

Bolt-on Full width Rear Roller kit (5″ diameter)	\$1,220
H.D Rear tail swivel castor wheels kit (pair)	\$2,450
Hardfaced 'Tungsten' upgrade to mulch blades (per blade)	\$50
Front mount option	\$200
Over run clutch	\$1,150
Rear chain guard set	\$780
Dual hitch offset/center A Frame (offsets by 300mm)	\$1,290
H.D Anti-scalp saucer discs (per rotor)	\$390

MULTI CHT

OPTIONAL ANTI-SCALP SAUCER

UILT TO LAST



5 mower widths available 1.8M/ 2.0M/ 2.3M/ 2.7M/ 3.0M

Durable, high quality paint finish: A powder-coating plant on site gives us the ability to turn something around really quickly.

All equipment undergoes a 3-stage quality process - sand blasting, zinc primer coating and top coat.



OPTIONAL BOLT ON REAR ROLLER KIT



HEAVY DUTY PUNCTURE PROOF URETHANE FILLED CASTER WHEELS **2** 2 Year Warranty on European Driveline

Model	Price	Cutting width	Overall width	Cutting range	Overall height	Overall length	Weight
Sabre 1200	\$2,290.00	1050	1220	10-85mm	750	1290	165
Sabre 1500	\$2,590.00	1380	1525	10-85mm	750	1580	280
M-Sixty	\$4,590.00	1488	1690	10-85mm	850	1620	350
M-Seventy	\$5,390.00	1720	1950	10-95mm	880	1977	480
H.D.Sixty	\$7,400.00	1485	1707	20-120mm	1160	1820	550
H.D.Seventy	\$8,200.00	1786	1950	20-120mm	1160	2090	650
Jumbo	\$13,700.00	1720	2000	30-120mm	1580	2100	850
Euro GMM 180	\$12,500.00	1780	1942	20-120mm	1050	1440	690
Euro GMM 200	\$13,500.00	1980	2142	20-120mm	1050	1530	740
Euro GMM 230	\$14,300.00	2280	2442	20-120mm	1050	1650	790
Euro GMM 270	\$14,700.00	2680	2882	20-120mm	1050	1765	820
Euro GMM 300	\$16,500.00	2980	3142	20-120mm	1050	1530	880
GMMHD 230	\$21,900.00	2280	2448	20-120mm	1050	1650	890
GMMHD 270	\$22,500.00	2680	2890	20-120mm	1050	1765	920
GMMXHD 230	\$24,900.00	2280	2448	20-120mm	1050	1650	990
GMMXHD 270	\$25,500.00	2680	2890	20-120mm	1050	1765	1020
GMT 200	\$11,500.00	1980	2142	20-120mm	1050	1530	700
GMT 230	\$12,300.00	2280	2442	20-120mm	1050	1650	750
GMT 270	\$12,700.00	2680	2882	20-120mm	1050	1765	780
GMT 300	\$14,500.00	2980	3142	20-120mm	1050	1530	820
TM 240	\$11,900.00	2345	2540	20-120mm	1050	1575	680
TM 270	\$12,600.00	2645	2840	20-120mm	1050	1575	720
TM 300	\$13,700.00	2945	3170	20-120mm	1050	1575	780
VECTOR	\$26,900.00	3345	3520	10-70mm	1050	1575	1100
EURO GMF 360R	\$34,000.00	3550	3720	10-90mm	1080	1650	1100
EURO GMF 500R	\$42,000.00	4950	5200	10-90mm	1080		
EURO GMF 500T	\$44,000.00	4950	5150	10-90mm	730		
EURO GMF 600T	\$49,000.00	5950	6150	10-90mm	730		

Tractor HP range	Cutter heads	Cutting tips	Blade type	Linkage Pins	PTO revs
18-40hp	1	2	Stepped Slasher Flail	Cat 1	540RPM
18-40hp	1	2	Stepped Slasher Flail	Cat 1	540RPM
35-80hp	1	2	Stepped Slasher Flail	Cat 1 & 2	540RPM
35-80hp	1	2	Stepped Slasher Flail	Cat 1 & 3	540RPM
60-100hp	1	2	Stepped Slasher Flail	Cat 2	540RPM
60-100hp	1	2	Stepped Slasher Flail	Cat 2	540RPM
80-250hp	1	2	Flat Flail 16mm	Cat 2	540RPM
30-80hp	2	4	Triple Stack Mulching Blades	Cat 2	540RPM
30-80hp	2	4	Triple Stack Mulching Blades	Cat 2	540RPM
40-80hp	2	4	Triple Stack Mulching Blades	Cat 2	540RPM
50-90hp	2	4	Triple Stack Mulching Blades	Cat 2	540RPM
70-130hp	3	6	Triple Stack Mulching Blades	Cat 2	1000RPM
120-250hp	2	4	Triple Stack Mulching Blades	Cat 2	540RPM
120-250hp	2	4	Triple Stack Mulching Blades	Cat 2	540RPM
120-250hp	2	4	Triple Stack Mulching Blades	Cat 2	540RPM
120-250hp	2	4	Triple Stack Mulching Blades	Cat 2	540RPM
30-80hp	2	4	Gold Tip Blades	Cat 2	540RPM
40-80hp	2	4	Gold Tip Blades	Cat 2	540RPM
50-90hp	2	4	Gold Tip Blades	Cat 2	540RPM
70-130hp	3	6	Gold Tip Blades	Cat 2	1000RPM
40-120hp	3	6	Gold Tip Blades	Cat 2	540RPM
40-120hp	3	6	Gold Tip Blades	Cat 2	540RPM
40-120hp	4	8	Gold Tip Blades	Cat 2	540RPM
70hp +	5	10	Gold Tip Blades	Cat 2	540RPM
70-120hp	4	8	Gold Tip Blades	Car 2	540RPM
100-200hp	4	8	Gold Tip Blades	Cat 2	540RPM
66-140hp	4	8	Gold Tip Blades	Trailing Hitch	540RPM
120-220hp	6	12	Gold Tip Blades	Trailing Hitch	1000RPM

MOWERS • Specifications

Model	Price	Cutting width	Overall width	Cutting range	Overall height	Overall length	Weight
EURO GML 140	\$16,300.00	1380	1446	15-100mm	950	1550	545
EURO GML 160	\$15,400.00	1580	1630	15-100mm	950	1580	650
EURO GML 180	\$15,700.00	1780	1840	15-100mm	950	1620	720
EURO GML 200	\$16,100.00	1980	2040	15-100mm	950	1654	780
EURO GML 230	\$16,400.00	2280	2340	15-100mm	950	1720	820
EURO GML 270	\$16,800.00	2680	2765	15-100mm	950	1850	850
EURO GML 300	\$19,000.00	2980	3065	15-100mm	950	1654	920
EURO GML 330	\$20,100.00	3280	3365	15-100mm	950	1720	950
EURO GMS 140	\$15,500.00	1380	1446	15-100mm	950	1550	520
EURO GMS 160	\$14,600.00	1580	1610	15-100mm	950	1580	620
EURO GMS 180	\$14,700.00	1780	1816	15-100mm	950	1620	690
EURO GMS 200	\$15,100.00	1980	2016	15-100mm	950	1654	760
EURO GMS 230	\$15,400.00	2280	2316	15-100mm	950	1720	790
EURO GMS 270	\$15,800.00	2680	2765	15-100mm	950	1850	840
EURO GMS 300	\$18,000.00	2980	3065	15-100mm	950	1654	900
EURO GMS 330	\$19,100.00	3280	3365	15-100mm	950	1720	930
EURO GMR 140	\$13,700.00	1380	1542	15-100mm	950	1530	545
EURO GMR 160	\$13,700.00	1580	1742	15-100mm	950	1550	650
EURO GMR 180	\$13,800.00	1780	1942	15-100mm	950	1595	720
EURO GMR 200	\$14,200.00	1980	2142	15-100mm	950	1635	780
EURO GMR 230	\$14,500.00	2280	2442	15-100mm	950	1695	820
EURO GMR 270	\$14,900.00	2680	2482	15-100mm	950	1810	860
EURO GMR 300	\$17,100.00	2980	3142	15-100mm	950	1635	920
EURO GMR 330	\$18,200.00	3280	3365	15-100mm	950	1695	950
XHD 160	\$19,400.00	1580	1742	15-100mm	950	1580	709
XHD 180	\$19,500.00	1780	1942	15-100mm	950	1620	728
XHD 200	\$19,900.00	1980	2142	15-100mm	950	1654	855
XHD 230	\$20,400.00	2280	2442	15-100mm	950	1720	965
MX 40	\$6,400.00	1037	1232	10-110mm	900	1510	380
MX 50	\$6,700.00	1247	1406	10-105mm	1000	1633	520
MX 60	\$7,400.00	1485	1707	20-120mm	1050	1695	670
MX 70	\$8,200.00	1786	1950	20-120mm	1100	2050	750

Specifications • MOWERS

Tractor HP range	Cutter heads	Cuttting tips	Blade type	Linkage Pins	PTO revs
30-80hp	2	4	Triple Stack Mulching Blades	Cat 2	540RPM
30-80hp	2	4	Triple Stack Mulching Blades	Cat 2	540RPM
30-80hp	2	4	Triple Stack Mulching Blades	Cat 2	540RPM
30-80hp	2	4	Triple Stack Mulching Blades	Cat 2	540RPM
40-80hp	2	4	Triple Stack Mulching Blades	Cat 2	540RPM
50-90hp	2	4	Triple Stack Mulching Blades	Cat 2	540RPM
70-130hp	3	6	Triple Stack Mulching Blades	Cat 2	1000RPM
70-130hp	3	6	Triple Stack Mulching Blades	Cat 2	1000RPM
30-80hp	2	4	Stepped Axe Flail	Cat 2	540RPM
30-80hp	2	4	Stepped Axe Flail	Cat 2	540RPM
30-80hp	2	4	Stepped Axe Flail	Cat 2	540RPM
30-80hp	2	4	Stepped Axe Flail	Cat 2	540RPM
40-80hp	2	4	Stepped Axe Flail	Cat 2	540RPM
50-90hp	2	4	Stepped Axe Flail	Cat 2	540RPM
70-130hp	3	6	Stepped Axe Flail	Cat 2	1000RPM
70-130hp	3	6	Stepped Axe Flail	Cat 2	1000RPM
30-80hp	2	4	Stepped Axe Flail	Cat 2	540RPM
30-80hp	2	4	Stepped Axe Flail	Cat 2	540RPM
30-80hp	2	4	Stepped Axe Flail	Cat 2	540RPM
30-80hp	2	4	Stepped Axe Flail	Cat 2	540RPM
40-80hp	2	4	Stepped Axe Flail	Cat 2	540RPM
50-90hp	2	4	Stepped Axe Flail	Cat 2	540RPM
70-130hp	3	6	Stepped Axe Flail	Cat 2	1000RPM
70-130hp	3	6	Stepped Axe Flail	Cat 2	1000RPM
50-100hp	2	4	Stepped Axe Flail	Cat 2	540RPM
50-100hp	2	4	Stepped Axe Flail	Cat 2	540RPM
50-100hp	2	4	Stepped Axe Flail	Cat 2	540RPM
50-100hp	2	4	Stepped Axe Flail	Cat 2	540RPM
30-80hp	1	2	Stepped Axe Flail	Cat 2	540RPM
30-80hp	1	2	Stepped Axe Flail	Cat 2	540RPM
50-100hp	1	2	Stepped Axe Flail	Cat 2	540RPM
50-100hp	1	2	Stepped Axe Flail	Cat 2	540RPM

POST DRIVERS • Farmer & Fencer

Fencer



BEST SELLER For smaller dairy, beef & sheep farmers

R	FENCER	Hydraulic Post Driver	Ş8,950
		Upgrade from 230kg to 280kg (616lb) hammer & heavy duty contractors post cap	\$940
		Top link extension bracket	\$190
s		Side angle extension bracket	\$190
		Hyd. Side shift (250mm) nudge ram kit includes valve	\$1,520
		Extra valve slice (per slice)	\$420
		Q.R.C's on valve (per slice)	\$165
		Polypropylene post cap	\$95
		Closed circuit control valve mod (suits J.D etc)	\$80
		Folding/hinged 4.5m mast upgrade (manual fold)	\$1,850
b) hamme RI-BEAM r		Hydraulic Folding (4.5m) mast w/ hydraulic ram & valve	\$2,450

......

FEATURES:

- 230kg (506lb) hamme
- 4.0m H.D. TRI-BEAM mas
- 3-bank valve hydraulic
 - side angle

Hydraulic top link

- Starts tough from the ground up: base frame and support legs are fabricated from 125 x 75 section RHS, which gives an extra-low centre of gravity putting the weight and strength where it's needed, for safety and gravity.
 - Power through the fencing: 8.1 rope-pully configuration means the hammer falls faster on retraction of the ram, for increased impact force
 - Megaflow hydraulics valving is reamed out oversize, allowing oil to move through the operating system faster and cooler, for a quick, positive response - like a big-bore exhaust!
 - The tri-beam mast (standard on Fencer & Combos) designed on the triangulation concept is 110% more resistant to twisting force than standard UB section beam. Because you get strength without unnecessary weight the machine operates smoothly without top-heavy, jerking movements.

Fencer Combo with Hydraulic Sideshift

The combo model delivers the ideal side-mounted post driver package for serious fencing jobs, coupling the popular Fencer machine with a heavy-duty hydraulic base - providing 600mm in and out travel.



- The Hydrasideshift base unit is constructed with a dual box section inner frame encased in the U-channel to provide a very rigid and stable anchor for the postdriver essential to eliminate 'racking' and sloppy movement that can develop with lighter alternatives.
- A MPS multi-positioning four-way upgrade option adds forward and back hydraulic movement to this base.
- The Fencer combo unit is easily demountable so you can have the choice of a rear-mounted or side-mounted post driver at any time.

FEATURES:

- Hydra-side shift side mount kit
- 230kg (506lb) hammer
- Heavy duty 4.0m (13') TRI BEAM mast
- Hydraulic side angle
- Hydraulic side shift and top link
- 4-bank control valve
- Hydraulic sideshift on twin RHS slides

FENCER COMBO - 600 - Hydraulic sideshift Postdriver as above (600mm sideshift)	\$14,050
FENCER COMBO - 900 - Fitted with 900mm sideshift base	\$14,900
FENCER COMBO - 300 Ultra compact model with dual hitch linkage for an extra 260mm offset. Ultra Compact model is 1.09m from centre of tractor to outside of hammer when retracted. 300mm Hydraulic Sideshift	\$14,850
MPS, 4 way operation provides backshift as well as sideshift and valve (upgrade)	\$2,600



"

My first contact was via the Fieldmaster website. It was a credit to their sales team that a reply came within 24 hours. I had specific requests about modifications of the Fieldmaster Forte Hydra Side Shift Rammer. This was not a problem at all. The team at Fieldmaster, in partnership with our local tractor dealer, kept me up-to-date with progress throughout the construction process. I now have a one-off 'built to my specs' rammer, with a 5-metre folding mast. I am extremely pleased with my new post rammer. The combination of sales, service and contact throughout the whole construction process was hassle-free and I would thoroughly recommend this team of people to everyone. Ian Reid

Farmer

FARMER	Manual Post Driver	\$6,750
	Hydraulic top link kit	\$665
	Hydraulic side angle kit	\$665
	Upgrade to 230kg (506lb) hammer	\$530
	Hyd. Side shift (250mm) nudge ram kit includes valve	\$1,450
	Extra valve slice (per slice)	\$420
	Q.R.C's on valve (per slice)	\$190
	Closed circuit control valve mod (suits J.D etc)	\$80
MANUAL SUPER SPIKE SHAFT	75mm tapered spike for light rock or pilot hole (extracts by raising hammer) c/w chain and brackets.	\$1,600

FEATURES:

- 180kg (400lb) hammer
- 4.0m mast
- 3 bank control valve (2 spare banks)
- Manual side angle







FEATURES:

- 320 kg (700lb) hammer
- 4.0m H.D. Beamtec mast
- H.D hydraulic side angle & top link rams
- 3-bank valve
- H.D postcap with polyethylene insert
- Side tilt and top links are upsized to 3" x 1.5" rams

FORTÉ	Hydraulic Post Driver	\$12,900
FORTÉ	Hydraulic Post Driver c/w Hydraulic Rock Spike extractor kit fitted including extra valve slice (add Rock Spike below)	\$17,800
	H.D solid 90mm Rock Spike c/w nylon cap	\$1,200
	H.D solid 120mm Rock Spike c/w nylon cap	\$1,400
	Sideshift nudge ram kit including extra valve slice	\$1,470
	Closed circuit control valve mod. (suits J.D etc)	\$80
	Hydraulic folding 4.5m mast including extra valve & hoses	\$2,750
	· · · · ·	

Forté Combo with Hydraulic Sideshift



FORTÉ COMBO-600	Hydraulic Sideshift Post Driver with 600mm Hydraulic Sideshift	\$18,000
FORTÉ COMBO-900	Hydraulic Sideshift Post Driver with 900mm Hydraulic Sideshift	\$18,800
FORTÉ COMBO-300	Hydraulic Sideshift Post Driver with Ultra Compact Hydraulic Side- shift (1.1m from the centre of tractor to outside of hammer when retracted with 300mm sideshift). Dual linkage mounts for an extra 260mm Sideshift.	\$18,850
	MPS, 4 way operation provides backshift as well as sideshift includ- ing extra valve and hoses	\$2,300

FORTE POSTDRIVERS

- A heavy duty offset base frame provides an extra-low centre of gravity for stability and strength, and maximum penetration depth for driving posts and spikes.
- Oversize 3"x1.5" angle-adjustment hydraulic cylinders control most angles effortlessly, despite the substantial mast weight and structure.



Optional 4.5m hydraulic folding mast

The custom-fabricated 'Beamtec' mast section is exclusive to the Forte model. The unique triangulation design has been stress-tested by computer simulation and proven to be 21 times more resistant to twisting than an equivalent sized 180 U-beam type.

The mast profile has a 16mm flange for outstanding strength and wear resistance against the hammer slides.



Beamtec mast section




Image from stress testing.

Hydraulic Rockspike Extractor & Pilot Auger Kit

Factory-fitted rockspike & auger accessory kits are custom designed for ease of operation on Forté post drivers. For hard ground conditions specify factory-fitted rockspike or auger options that swing into position to prepare the ground before ramming. Hydraulically driven and extracted for effortless operation, the auger unit can be driven in with the hammer action.

HYDRASPIKE	Hydraulic Rock Spike Extractor kit for Fencer & Forté models c/w extractor ram, hoses & 40mm lifting plate, extra valve (excludes Rock Spike)	\$4,900
	Rock Spike 90mm c/w nylon cap	\$1,200
	Rock Spike 120mm c/w nylon cap	\$1,400
HYDRAULIC PILOT AUGER KIT	Comes with hydraulic motor & hoses, extra valve slice. This kit can be used as a Rock Spike Extractor (above) by removing the hydraulic motor add Auger/s as below	\$5,500
MANUAL PILOT AUGER KIT	Swings onto and attaches under hammer weight, and is lifted and lowered with the hammer weight. Kit is supplied c/w motor & hoses. Add Auger/s as below	\$2,950
	Auger 100mm (4") – NZ Made	\$1,200
	Auger 150mm (6") – NZ Made	\$1,400
	Single Valve Bank (Retro-Fit) c/w hoses	\$680
	Double valve bank (Retro-fit) c/w noses	\$880



POST DRIVERS • Sideshift Bases

Hydrasideshift Bases

Easily detachable hydraulic sideshift bases for post drivers - suits most available brands.



Remember to add extra retrofit valves if fitting to existing Rammer, see below:

SBV/C Single bank valve kit

Static Side Mount Frame



- Mounts rammer at 90° to tractor kit
- Comes with hose extensions, pins and adjuster arm to fit the post driver.

SMF /CB	Side mount frame with counter balance weight and tool holder (pictured)	\$2,700
SMF /F	Without counterbalance and tool holder	\$1,950

\$680

MF Disc Ploughs



Fieldmaster's MF Disc ploughs are easy on horse power and great for the soil because they make a finer cut and give better aeration than a conventional plough.

• Large 66cm heavy duty discs equally spaced at 53cm will work to a depth of 25cm.



This is the original well-proven Massey Fergusson designed disc plough.

This form of ploughing is suited to a wide range of soil types including peat and sandy country. It's ideal for ploughing crop residue and stubble back in after harvesting.

	No Discs	Length	Wide	Weight	
MDP 2	2	1155mm	660mm	310kg	\$3,990
MDP 3	3	2130mm	660mm	400kg	\$5,290
MDP 4	4	2520mm	1320mm	470kg	\$7,290
MDP 5	5	2910mm	1650mm	540kg	\$8,650
MDP 6	6	3200mm	1980mm	610kg	\$9,750

Springtine Cultivator

The Springtime Cultivator is a very versatile tool! It's ideal for fast and efficient land levelling, seed preparation, stubble cleaning and weed control. The unique design allows you to do high-speed passes at an optimum working depth of 12 cm.

FEATURES:

- Suitable for tractors 16hp and higher
- Heavy-duty 12mm spring tines
- A HD RHS 4-row frame
- Curved `L' blades (1.0M = 20/1.5M =28)
- Cultivator frame is blasted and oven-baked powder coated for a long lifespan
- Height adjustable full-width rear crumbler roller
- Oil bath over the chain drives
- Skid depth adjustments/ working depth 150mm
- Rear deflectors and adjustable tailgate
- Heavy duty 18" diameter rotor



		Number Tines	
ST1500	1.5m Cultivator c/w Roller	16	\$2,990
ST2400	2.4m Cultivator c/w Roller	23	\$3,990
ST3000	3.0m Cultivator c/w Roller	30	\$4,990
ST3600	3.6m Cultivator c/w Roller	35	\$5,990
ST4200	4.2m Cultivator c/w Roller	41	\$6,990

ATTACHMENTS • Cultivation

Rotary Tiller / Rotary Hoe



320200	1.0m- 40" Rotary Hoe/Tiller- (16-25 Hp)	\$2,590
320215	1.5m- 60" Rotary Hoe/Tiller- (30-40 Hp)	\$2,990



The Fieldmaster range of compact rotary hoes are ideal for when you need to turn hard ground into a perfect seed bed quickly and easily. These rugged models are ideal for gardening, landscaping, orchards or any other soil-based project you need to do.

Cambridge Rollers



Fieldmaster's new range of rollers are the ideal implement to level out any rough rugged pasture which has been damaged after winter.

- Constructed from heavy-duty RHS
- Tough grease-able pillow block bearing, HD axle
- The Cambridge Roller has dozens of cast iron 'V-shaped' roller rings and offers unmatched effectiveness when it comes to pasture preparation, preparing pugging, or re-grassing

CR 1500	1.5m (5') rolling ring Cambridge roller	\$4,350
CR 2100	2.1m (7') Rolling ring Cambridge roller	\$4,950
CR 2700	2.7m (9') Rolling ring Cambridge roller	\$6,750
CR 300	3.0m (10') Rolling ring Cambridge roller	\$8,500

3pt Linkage Compact Discs



Compact yet durable cultivation disc sets for small tractors with front scalloped blades.

FEATURES:

- Suits tractors 16-40hp
- Tough discs built to last!
- Fitted with 18" (45cm) diameter discs

940352 1.8m (6') Tandem discs

\$1,995

Jumbo Buster Ripper



	Width	HP Rqd	Weight	No. Tines	
GOCP 5	1600	50-70	310	5	\$4,590
GOCP 7	2100	60-80	390	7	\$5,290
GOCP 9	2500	80-100	460	9	\$5,790
GOCP 11	3000	100-130	530	11	\$6,590
GOCP 13	3000	100-130	550	13	\$6,990

Optional Rear Spikes Roller Kit

RK/JB2100	Roller Kit for Jumbo Buster Ripper (2.1mtr)	\$2,100
RK/JR2500	Roller Kit for Jumbo Buster Ripper (2.5mtr)	\$2,200
RK/JB3000	Roller Kit for Jumbo Buster Ripper (3.0mtr)	\$2,300



Fieldmaster's Chisel Ploughs or Deep Rippers are invaluable for improving poor drainage, compacted soil and hard pans (under the topsoil).

FEATURES:

- Working depth of 20-45cm
- Tine spacing 250mm
- 3-13 tine options with optional roller kits

Uses include:

Soil Aeration: Breaks up the top soil into big random clods which allows air into the soil and helps with the drying out of puggy areas. Also speeds up the decomposing of stubble and releases the nutrients better.

Pan Breaking: Breaking up the lower hard pan allows roots to penetrate deeper to moisture in dry weather and improves drainage in the wet.

Ploughs for Small Tractors

These top quality ploughs are specially designed for small-sized tractors, with Cat I linkage. They are designed specifically for small-block use, for breaking in new soil for planting - and are very simple to operate.




800500

 800500
 Single Furrow 14" Plough to suit 16-25HP
 \$990

 800510
 Two Furrow 14" Plough to suit 25-40HP
 \$1,990

 sth. Is Freight Surcharge \$150

HD '2 Mode' Drag Harrow



1.8m wide x 1.5m long,

This multi-purpose 2-in-1 drag harrow can be much more than a conventional harrow. By reversing or rotating the harrow you are able to select from:

- Fine mode: prepares finer seed beds
- Aggressive mode: maintains tracks, incorporates herbicides, scatters livestock droppings, maintains and renovates pastures, works in seeds and fertiliser, and shreds rubbish as it works

45 0000		ć c o o
45-0390	HD2 Mode Drag Harrow	\$690

Sth. Is Freight Surcharge \$100

Rear Carry-All Trip Scoop Bucket



All purpose carry-all rear bucket with trip mechanism for tipping/dumping and unloading.

FEATURES:

- Replaceable weld on cutting edge
- Both models suit tractors from 18-50hp with Cat I linkage
- Dimensions: 70cm deep x 60cm high

Trip Scoop 1200	0.3m ³ capacity. Width: 1.2m (4")	\$1,350
Trip Scoop 1500	0.4m ³ capacity. Width: 1.5m (5")	\$1,750
	Sth. Is Freight S	Surcharge \$150

Mini Reversible Dirt Scoop



An all-purpose dual linkage/reversible mini dirt scoop for scooping/loading and dumping dirt and other loose materials.

FEATURES:

- 30"/760mm wide
- By moving the lower linkage pins, it can be used in either forward or reverse direction

Mini Dirt Scoop. Width: 760mm

• For tractors 18-40hp Cat I

DS30

\$795

Earthworks • ATTACHMENTS



PTO-driven rotary drain digger/cleaner for forming & cleaning out drainage channels.

FEATURES:

- 6 x rotary-hoe blades on 700mm rotor cut a concave trench up to 260mm deep
- Adjustable discharge chute and depth control shoe
- Cat I linkage
- Supplied with slip clutch protection
- 6-series PTO driveshaft
- Suits tractors 30-80 Hp

Vortex Drain Digger/Cleaner



VORTEX Rotary Drain Digger/Cleaner

\$4,990

SBX Box Scrapers / Blade





Box blades are a lot more effective than just a standard scraper/grader blade as the 'boxed in' sides allow for better control and retention of the cut material.

Only in recent years are New Zealanders beginning to realise the advantages of these blades!

Heavy duty box scrapers with removable and adjustable front scarifiers for levelling, finish grading and backfilling.

FEATURES:

- Double cutting edges (front & back) for forward and reverse blading
- SBXHD-7 Model has Cat I & II linkage

SBX-5	(5') 1500mm Box Scraper c/w 4 shanks	\$1,590
SBX-6	(6') 1800mm Box Scraper c/w 5 shanks	\$1,790
SBX-7	(7') 2100mm Box Scraper c/w 6 shanks	\$1,990
SBXHD-7	Box scraper (7') 2100mm c/w 6 shanks	\$2,990

all prices exclude GST

Landscape Finger Rakes



FEATURES:

- All models have 3 forward and 3 reverse rake positions
- Suits tractors from 18-50hp Cat I

Ideal for commercial, farm or lifestyle blocks for grading and levelling driveways and tracks:

- spreading topsoil, removing stones/rubbish from lawns
- breaking up sod clumps, spreading stones, gravel, cinders
- smoothing parking lots and horse exercise yards

DCR-5	(5') 1500mm 3pt linkage, landscape rake	\$1,500
MCR-6	(6') 1800mm 3pt linkage, landscape rake	\$1,700
MCR-7	(7') 2100mm 3pt linkage, landscape rake	\$1,900
	Single tail wheel for DCR model rakes	\$650
	Dual tail wheel for MCR model rakes	\$950

Sth. Is Freight Surcharge \$150

Grader Blade



FEATURES:

- 1200mm wide adjustable grader blade
- For compact tractors Cat I (18-35hp)
- Replaceable hardened cutting edge
- Easy-set angle adjustments for blade angling

GB1200 Grader Blade 1.2m (4')

\$895

Sth. Is Freight Surcharge \$100

ATV Towed Blade



- 1500mm wide towed grader blade or rake with angle adjustment and two trailing wheels
- Height levelling operated by lever height adjustment rod (from bike seat)
- Choose from grader blade moldboard or finger rake option
- An excellent tool for your ATV quad bike to maintain/ level driveways, tracks, races and horse training arenas!

PBL-60 Towed Grader blade (1.5m)

\$1,995

Ezy-Bore 40 Post Hole Borer - Cat. I

FEATURES:

- 3-point linkage mounted borer
- PTO driveshaft Cat I
- Shear bolt safety cut-out on driveshaft and lifting lug
- Suits tractors 18-40hp
- Supplied powder coated red.
- Augers are 900mm long and NZ made with replaceable tips.

EZY-BORE 40	Suits tractors 18- 40hp (excludes auger)	\$1,590
	100mm (4") Auger c/w tip	\$ 650
	150mm (6") Auger c/w tip	\$ 750
	225mm (9") Auger c/w tip	\$850

Sth. Is Freight Surcharge \$50



Ezy-Bore 80 HD Post Hole Borer - Cat. I & II



- 3-point linkage mounted borer
- Driveshaft Cat I & II
- Shear bolt safety cut out on driveshaft and lifting lug
- Suits tractors 40-80hp
- Augers are 1.2m long and NZ made with replaceable tips

EZY-BORE 80	Suits tractors 40- 80hp (excludes Auger)	\$2,190
	300mm (12") Auger c/w tip	\$1,050
	350mm (14") Auger c/w tip	\$1,200
	400mm (16") Auger c/w tip	\$1,450
	500mm (20") Auger c/w tip	\$1,700
	600mm (24") Auger c/w tip	\$2,000
	500mm (20") Auger short tree planting c/w tip	\$1,450
	600mm (24") Auger Short tree planting c/w tip	\$2,050
	600mm (2') Auger extension	\$270



Hydra-Borer

FEATURES:

- Post hole borer (excl. Auger)
- Hydraulic motor
- 6m hoses
- Q.R.C.S
- Bracket for mounting to front end loader bucket or similar.
- Flow rate requirements 10-20 gallons (45-90lLts) per minute at 1500 -3000 psi.

Swivel Tach



The Swivel Tach is an interface attachment that fits to the front loader of your tractor, prior to the acquisition of forks or a bucket.

With the Swivel Tach in place, it allows the operator a horizontal tilting of 23.5 degrees, both left and right of the vertical axis, for the implement being used.

Easily fitted and removed, the Swivel Tach is operated by the tractors hydraulic system, via standard connectors.

The Swivel Tach has been designed to easily handle the same weights and stresses, that a front loader implement would normally be subject to.



SWIVEL TACH SG-26	Swivel Tach EURO	\$3,995
SWIVEL TACH SG-36	Swivel Tach MX	\$3,995





Valumix PTO Mixer




Durable two-piece steel drum PTO mixer saves you time mixing feed, fertiliser, potting mix & concrete.

FEATURES:

- 140 ltrs (5 cu.ft) capacity
- Compact, trouble-free design with internal mixing paddles
- Hydraulic top link for precise dumping
- Cat I linkage
- Supplied with shearbolt driveshaft
- Operates on 540 RPM tractors PTO



Tractor Mounted Fertiliser Spreader



hi-speed gearbox makes light work for spreading fertiliser on small paddocks.

FEATURES:

SP600

- Spreads up to 15–20 metres wide
- Operates from the 540 RPM tractor PTO
- 3-point linkage mounted
- PTO driveshaft
- Weight: 70Kgs
- Dimensions: 1200mm x 1050mm x 1520mm

3pt linkage fertiliser spreader \$1,495



VC-40 PTO Driven Woodchipper



A great lifestyle 4" chipper for small tractors 15-40hp.

FEATURES:

- Valuechip 40 chips (4") 100mm branches
- 540 rpm PTO speed
- Weight: 195kg
- Manual feed only (no feed rollers)
- Shearbolt PTO driveshaft
- 360° swivel / adjustable discharge chute

VC-40 PTO Driven 4" chipper- manual feed \$2,990

Sth. Is Freight Surcharge \$220

VC-60R PTO Driven Woodchipper



VC 60R PTO Driven 6" chipper- hydraulic \$5,490 feed \$5,490	VC 60R		\$5,490
--	--------	--	---------

Sth. Is Freight Surcharge \$220

Valuechip 60 chips

FEATURES:

- Size 6" (150mm) branches
- Fitted with hydraulic-driven feed rollers for ease of loading/feeding foliage
- 540 rpm PTO speed
- 12" blades
- Safety cut-out bar
- A popular PTO-driven chipper for 50-80hp tractors
- Come with PTO driveshaft
- 360° swivel/adjustable discharge chute



Tractor-Mounted Stump Chippers



Remove tree stumps with ease, whenever it suits you, using your own tractor.



FEATURES:

- Fitted with friction slip clutch
- Connects to any standard linkage
- 540 RPM PTO
- Suitable for tractors 20 -100hp
- Can cut up to 18" (45cm) above ground level and 25cm (SG26) or 38cm (SG36) below ground level
- 3/4" thick 2-piece laminated steel cutting wheel with carbide steel bolt-in teeth.
- Swinging arc of 45 degrees

SG-26	Cat 1-26" Stump Grind	\$12,500		
SG-36	Cat / 2, 36" Stump Grinder c/w 42 teeth		\$13,500	
STUMP CHIPPI SMOOTH CUT	ER SPECIFICATIONS	MODEL SG-26	MODEL SG-36	
Cutting Wheel Diameter		26 Inches (66cm)	36 Inches (91cm)	
Cutting Wheel Speed @ 540 PTO rpm		810 rpm 5,515 ft / min	788 rpm 7,430 ft / min	
Max Horizontal	Cut	28 Inches	33 Inches	
Swing Arc		45 Degrees	45 Degrees	
Min/Max Hp		20-50	45-100	

Poly Convertible Push/Tow Dump Cart



45-0345	Push/Tow Convertible Dump Cart	\$375
	Sth. Is Freight Sur	charge \$100

Poly Garden Cart



Zero Turn Mower Dump Cart





The convertible Poly Cart easily converts from a push cart to a tow cart by simply unfolding the hitch.

The convertible cart can be used as a wheelbarrow for hauling and dumping while providing greater stability and ease of use.

FEATURES:

- 225 kg load capacity
- One piece, rust proof poly bin
- Bin size 75cm x 105cm x 28cm
- High, 14" x 4" pneumatic wheels
- Quick switching between towing or pushing
- Quality USA made product

User-friendly 'big wheel' carts make old single wheel barrows a thing of the past! Ideal for nursery, lifestyle and small block farms and gardens.

FEATURES:

- 136kg load capacity
- Seamless rust-proof smooth poly bed provides for easy dumping and clean up
- Better stability with 20" (50cm) pneumatic wheels
- Steel tube handle provides comfortable grip
- 6 cubic ft capacity

This unique 'limited edition' poly dump cart is specially designed to fit Cub Cadet, Craftsmen, John Deere, Toro & Husqvarna zero-turn mowers.

FEATURES:

- Supplied with a rear bumper kit for mounting.
- Durable poly tray
- 100 kg load capacity
- Tips with a single lever making it a versatile, easy to operate accessory for your ZT mower.
- Converts in seconds to a handy push wheelbarrow as shown

45-0449

ZT Convertible Poly cart & bumper kit

\$435

Transport Trays

Built from heavy-duty steel for years of trouble-free use. Handy for the farm or the beach!

TT1275TM	4' x 2'6 (1.2 x .75) Transport Tray	\$1,395
TT1890TM	6' x 3' (1.8 x .9) Transport Tray	\$1,695
TT2112TM	7' x 4' (2.1 x 1.2) Transport Tray	\$2,295
	Sth. Is Freight	Surcharge \$150



Eco-Slasher

FEATURES:

- 5' low-cost rotary cutter
- 2 flails
- Adjustable skids
- Cat I linkage and driveshaft

ECO150	ECO slasher 5'		\$1790
		Sth. Is Freight Surcharge	\$150



Steel Roller and Poly Lawn Rollers

Push/Tow lawn rollers - The light-weight durable construction allows for easy transport or storage. Whether you need to tackle uneven ground or pack down newly-sown seed or lawn. Lawn rollers use inner baffles for support, are

easy to store, lightweight when empty and just fill with water from the garden hose. There's a unique 'pull tag' drain plug for easy

filling and emptying.



45-0216 Steel Roller 1200mm

		WIDTH (MM)	DIA (MM)	FILLED	ЕМРТҮ		
45-0267	Poly Roller 600mm (Push or tow)	600	450	110kg	20kg	Poly	\$395
45-0268	Poly Roller 900mm (Tow)	900	450	180kg	23kg	Poly	\$550
45-0216	Steel Roller 1200mm (Tow)	1200	600	400kg	35kg	Steel	\$750
					Sth. Is F	reight Surch	narge \$50

all prices exclude GST

Towed Broadcast Spreader



Tow Spreader



Tow Spreader

Great for the smaller lawns.

FEATURES:

- · Easy to use with pneumatic wheels for increased maneuverability.
- Suitable for ride-on mowers (model 45-0364)
- Suitable for ATV & UTV occasional use on small-block lifestyle farms.
- Durable rust-proof poly hopper & spreader plate



		COVERAGE	SPREAD	
45-0315	30 Kg capacity Tow Spreader for Ride-ons	1/4 acre	3.0m	\$290
45-0215	40 Kg capacity Tow Spreader for Ride-ons	1/3 acre	3.0m	\$395
45-0329	75 Kg capacity Tow Spreader for Ride-ons	1 acre	3.6m	\$790
45-0364	110 Kg capacity Tow Spreader for ATV's	1 acre	3.6m	\$990

Sth. Is Freight Surcharge \$50

Push Type Lawn Broadcast Spreader



Smart Spreader

Great for the smaller lawns. Easy to use with pneumatic wheels for increased maneuverability.

FEATURES:

- Durable rust-proof poly hopper
- 3.0m (12') spread width
- Easy-set flow controls for precise application

45-0388	(30kg capacity) Economy Push Spreader	\$230
45-0462	(50kg capacity) Smart Spreader	\$595
	Sth. Is Freight Surch	narge \$50

Towed Lawn Sweeper



45-0320	42" (106 cm) Towed Sweeper	\$790
	Sth. Is Freight Su	urcharge \$50

Easy pick-up of grass clippings, leaves and other lawn debris.

FEATURES:

- High brush-to-wheel ratio
- Semi-pneumatic tyres with excellent traction
- Rope dump mechanism from your seat
- Infinite height adjustment

Turf Shark Lawn Aerator / Spiker

Improve grass growth and soil drainage - this is what you need to boost your lawn!

Unique patented design combines the best features of a plug aerator and a spike aerator.

FEATURES:

- 1m weight tray holds up to 40 kg for increased soil penetration
- 230mm curved discs, galvanized for rustproofing and durability
- Simple-to-use cantilever transport handle for easy raising and lowering

45-0369 Turf Shark- Spiker Aerator \$550 Sth. Is Freight Surcharge \$50

THE TURF SHARK ™ spike wheels provides perfect soil penetration without creating the mess of turf plugs - providing access for air, water and nutrients to reach your lawn's root system





Tine de-thatchers do a gentle job of bringing layers of thatch and large clippings to the surface for a healthier lawn.

Towed lawn de-thatcher has 20 heat-treated spring tines over its 1m width to effectively remove thatch.

FEATURES:

- Weight tray can take an additional 30kg for improved penetration and removal
- 7" tyres provide a smooth ride
- Cantilever transport handle means raising and lowering is quick and easy

45-0294 Tine De-thatcher 40" (1.0m) Sth. Is Freight Surcharge \$50

Earthway Hand Spreader - Seeder

This ever-so-popular hand operated bag spreader / seeder is designed as an easy to operate 'over-the-shoulder' spreader and is specially designed for lawns, gardens and small blocks where a larger capacity is needed to be spread by hand.

\$320

FEATURES:

- A wide comfortable shoulder strap
- HD nylon zipper bag
- Oscillating shut-off plate to prevent clumping and to aid consistent flow
- A spring-action flow rate control
- Support grip
- A high RPM gearbox (with guality glass filled nylon gears) provides a smooth, feathered edge, broadcast spread!

2700-A Earthway Hand Spreader-Seeder

\$195



'Vac 'n' Go' Vacuum Collectors for Ride-on Mowers



SOFT TOP Vac'n'Go



These great machines connect with a hose to your ride-on mower and will collect and vacuum clippings, leaves and debris.

At the same time the built-in chipper turns branches and twigs into mulch.

With the included deck adapter you can easily attach to 40 different ride-on mowers (templates included) that discharge from the right hand side.

FEATURES:

- The handy optional 3.6m 'Wander Hose' is great for cleaning out stables, collecting manure, and many other tasks around the farm
- 8hp engine powers the vacuum (and chipper chute on the Chip 'n' Vac for up to 50mm diameter branches)
- A remote 'wander hose' kit turns these units into your outdoor vacuum cleaner!
- Vented cover with steel base and sides
- 0.95 m³ capacity

502492	Hard top Chip 'n' Vac c/w chipper chute- sth. Is Freight Surcharge \$220	\$4,400
45-0407	Soft top Vac 'n' Go vacuum collector- sth. Is Freight Surcharge \$220	\$3,500
45-0253	Remote hand kit with 3.6m wander hose- sth. Is Freight Surcharge \$50	\$395

Earthway Seeder

An ideal row crop planter, the 1001-B is a tool that takes the guesswork out of planting any row crop.



STANDARD SEED PLATES INCLUDED WITH THE 1001-B ARE:

18100 SWEET CORN, 18101 RADISH, LEEKS, SPINACH, 18102 CARROTS, LETTUCE, TURNIPS, 18103 BEANS, SMALL PEAS, 18104 JUMBO PEAS, 18105 BEETS, OKRA, SWISS CHARD.

OPTIONAL SEED PLATES ARE AVAILABLE ON REQUEST FOR BROCCOLI, CORN, KALE, BEANS ETC.

1001-B Earthway seeder c/w 6 discs

Sth. Is Freight Surcharge \$50

\$475

Fertiliser Applicator Attachment

This attachment is a fully adjustable accessory for accurately applying a side dressing of all granulated fertilisers.

Attaches easily to the 1001-B garden seeder so you can fertilise as you sow!



1500 Fert-A-Ply-Attachment

\$295

Sth. Is Freight Surcharge \$50

all prices exclude GST

NOTES & QUOTES



PREMIUM EQUIPMENT

CONTACT:

FREEPHONE 0800 500 275

Phone 09 237 1500

Fax 09 239 0672

68 Adams Drive, Pukekohe

sales@fieldmaster.co.nz

www.fieldmaster.co.nz